| DEDAGE NO.  | AGENCY USE ONLY                                  |                                       | G. 137              |                                  |
|---|--|---------------------------------------|---------------------|----------------------------------|
| PERMIT NO.: MTG 010 286   | Date Rec'd.:                                     | Amount Rec'd.:                        | Check No.:          | Rec'd By:                        |
|   |  | <u> </u>                              |                     | EIVED                            |
| E   | itana Departi<br><b>VIRONMEN</b><br>R PROTECTION | tal Qu                                | FEB (               | <b>0 2</b> 2017<br>UALITY DIVIS. |
| NOI  Notice of Intent (N System Applica   | tion for New a<br>Feeding                        | nd Existing C<br>Operations           | Concentrated A      | Animal                           |
| The Application form is to be completed by the (CAFO) or Aquatic Animal Production Facility form. You must print or type legibly; forms the maintain a copy of the completed application: | ty. Please read the a<br>at are not legible o    | attached instruction are not complete | ons before complete | ting this                        |
| Section A - Application Status (Check one):   |  | 8.                                    | 5                   |                                  |
| New No prior applicat   | ion submitted for the                            | his site.                             |                     |                                  |
| Resubmitted Permit Number:  | MTG  |                                       |                     |                                  |
| Renewal Permit Number:  | MTG  | -                                     |                     |                                  |
|   | :: MTG   |                                       | . ,                 |                                  |
| Section B - Facility or Site Information (See Site Name Cool Springs Colony   | instruction sheet.):                             |                                       |                     |                                  |
| Site Location SE 1/4, Sec 20-35N-9E   |  |                                       |                     |                                  |
| Nearest City or Town Rudyard  |  | County Hill                           |                     |                                  |
| Latitude 48.772523  | Longitud   | le110.583873                          |                     |                                  |
|   | 015  |                                       |                     |                                  |
| Is this facility or site located on Indian Lands?   | ☐ Yes 🗸 No                                       |                                       |                     |                                  |
| Section C - Applicant (Owner/Operator) Inf  | formation:                                       |                                       |                     |                                  |
| Owner or Operator Name Peter J Hofer  Mailing Address PO Box 246  |  |                                       |                     | 7                                |
| City, State, and Zip Code Rudyard, MT 5954 Phone Number 1-406-355-4400  |  | <u> </u>                              | OPI                 |                                  |
| Is the person listed above the owner? Yes   | ✓ No   | ,                                     | v -                 |                                  |
| Status of Applicant (Check one) Federal Sta   | ate 🗸 Private 🔲                                  | Public Other (                        | specify)            |                                  |
| ENTERED   |  |                                       |                     |                                  |

FEB 0 9 2017

August 2013

CAFO Notice of Intent

State

Page 1 of 8

|                                      | ı I) - Existing or Per   | ding Permits                                       | Certification                       | s or Annr                               | ovals: 🗸 None  |                                       |
|--------------------------------------|--|--|-------------------------------------|---|--|---------------------------------------|
|                                      |  |  |                                     |   |  |                                       |
| 8                                    | PDES RCRA  |  |                                     |   |  |                                       |
|                                      | SD (Air Emissions) Other   |  |                                     |   |  |                                       |
| ☐ 404 Permit (dredge & fill) ☐ Other |  |  |                                     |   |  |                                       |
|                                      | n E – Standard Ind   |  |                                     |   |  |                                       |
|                                      |  | e which best ref                                   | lects the const                     | ruction activi                          | ty of project described in Section   | ı H.                                  |
| Code                                 |  | Primary  | Cod                                 |   | B. Second  |                                       |
| 1                                    | 213  |  | 2                                   | 251                                     | in the second se |                                       |
| Code                                 |  | . Third  | Cod                                 | e                                       | D. Fourth  |                                       |
| 3                                    | 253  |  | 3                                   | 7-11-19                                 |  |                                       |
| Name a                               | F - Facility or Site of nd Title, or Position of Address Same as | Title Peter J                                      |                                     | ncial Mana                              | ger)   |                                       |
| _                                    |  |  | Α                                   |   |  |                                       |
|                                      | ate, and Zip Code S  |  |                                     |   | 1  | · · · · · · · · · · · · · · · · · · · |
| Phone N                              | Number Sar   | me as above  |                                     |   |  |                                       |
| Section                              | G-Receiving Surfa  | ace Waters(s):                                     |                                     | *************************************** |  |                                       |
|                                      |  |  | ch outfall, List I<br>name of the r |   | ongitude to the nearest second a<br>ers  | nd                                    |
|                                      | Outfall Number   | Latitude   | Longitude                           |   | D  |                                       |
|                                      |  |  |                                     |   | Receiving Surface Waters   |                                       |
| e                                    | 001  | 48.760005  | -110.58074                          | 0 Un-na                                 | med tributary to Little Sage Cree  | k .                                   |
| ē                                    | 001<br>002   |  |                                     | 0 Un-na                                 | The same of the sa | k .                                   |
| H                                    | 001<br>002<br>003  |  |                                     | 0 Un-na                                 | The same of the sa | k                                     |
| ŧ                                    | 001<br>002   |  |                                     | 0 Un-na                                 | The same of the sa | k                                     |
| 4                                    | 001<br>002<br>003<br>004   |  |                                     | 0 Un-na                                 | The same of the sa | k                                     |
| i.                                   | 001<br>002<br>003<br>004   |  |                                     | 0 Un-na                                 | The same of the sa | k                                     |
| Section B<br>above. Al               | 001<br>002<br>003<br>004<br>005                                  | extending one mor activity bound location of the p | -110.58074                          | property bou<br>ainage pattern          | ndaries or the site activity identifies, and the receiving surface waterplication area(s).   | ied in                                |

Section H – Concentration Animal Feeding Operation Characteristics Waste Production, Storage and Disposal

|   | Animal type                | Number in Open<br>Confinement | Number Housed Under<br>Roof |
|---|----------------------------|-------------------------------|-----------------------------|
|   | Mature Dairy Cows          | 4                             |                             |
|   | Dairy Heifers              |                               |                             |
|   | Veal Calves                |                               |                             |
|   | Cattle (not dairy or veal) |                               |                             |
| 7 | Swine (55 lbs or over)     |                               | 2800                        |
| 7 | Swine (55 lbs or under)    |                               | 1350                        |
|   | Horses                     |                               |                             |
|   | Sheep or Lambs             |                               | p.                          |
|   | Turkeys                    |                               | 1500                        |
|   | Chickens (broilers)        |                               | 800                         |
|   | Chickens (layers)          |                               | 300                         |
|   | Ducks                      |                               | 600                         |
|   | Other (Specify:)           |                               |                             |
|   | Other (Specify:)           |                               |                             |
|   | Other (Specify:)           |                               |                             |

|                  |       | aitter and/or Wastewater Production and Use. manure, litter, and process wastewater is generated annually by the facility?   |
|------------------|-------|--|
| Solid (t         | ons)  | :114 Liquid/Slurry (gallons):3,565,875   |
|                  |       | ied, how many acres of land under control of the permit applicant are available to apply the manure, litter, or stewater generated from the facility? (Note: Do not include setback distances in available acreage |
|                  |       | manure, litter, and process wastewater is transferred to other persons per year? (estimated) Solid  Liquid/Slurry (gallons): none  |
| (tons): <u>r</u> | 10110 | Eiquid/Sturry (ganons): Hone   |
| Were th          | e co  | ontainment structures built after February 2006? 1/e5  |
| yes              | Ø     | Do the waste containment structures have 10 feet of separation between the pond bottom and any bedrock formations?   |
| Yes<br>No        |       | Do the waste containment structures have 4 feet of separation from the pond bottom and any ground water? Were any of the waste containment structures built within 500 feet of any existing well?                  |

| Type of Containment/Storage                | Total Capacity     | Units (gallons or tons)   | Days of Storage   |
|--|--------------------|---------------------------|-------------------|
| ☐ Anaerobic Lagoon                         |                    |                           |                   |
| ☑ Storage Pond #1                          | 2,200,000          | gallons                   | 225               |
| ☑ Storage Pond #2                          | 5,500,000          | gallons                   | 563               |
| ☐ Storage Pond #3                          |                    |                           |                   |
| ☐ Storage Pond #4                          |                    | 3                         |                   |
| ☐ Storage Pond #5                          |                    |                           |                   |
| ☐ Above Ground Storage Tank                |                    |                           |                   |
| ☐ Below Ground Storage Tank #1             |                    |                           |                   |
| ☐ Below Ground Storage Tank #2             |                    |                           |                   |
| ☑ Underfloor Pits                          | 1,490,000 9        | gallons                   | 15-3              |
| ☑ Roofed Storage Shed                      | ´´´65 ´            | tons                      | 209               |
| ☐ Concrete Pad                             |                    |                           |                   |
| ☐ Impervious Soil Pad                      |                    |                           |                   |
| ☑ Other (Specify: Isolation Barn Pits )    | 119,000            | gallons                   | 12                |
| Other (Specify:)                           |                    |                           |                   |
| al Data for CAFO                           |                    |                           |                   |
|  |                    |                           |                   |
| nt Management Plan                         |                    |                           |                   |
| centrated Animal Feeding Operations seekin |                    |                           |                   |
| ent a Nutrient Management (NMP). The NM    | P must be submitte | d to the Department using | g the form provid |

| r | Vu | tri | ent | IV | Tan | ap | em | ent | P | lan |
|---|----|-----|-----|----|-----|----|----|-----|---|-----|
|   |    |     |     |    |     |    |    |     |   |     |

th de One)

| Ø | Does the facility have an NMP? Date NMP was developed:1-31-17 | _ |
|---|---|---|
|   | Date NMP was last modified:                                   |   |
|   | IMD has not been presented provide detailed explanation below |   |

# $Section \ I-Supplemental \ Information$

See Attached maps

## Section J - CERTIFICATION

## Permittee Information:

This Form NMP must be completed, signed, and certified as follows:

- For a corporation, by a principal officer of at least the level of vice president;
- For a partnership or sole proprietorship, by a general partner or the proprietor, respectively; or
- For a municipality, state, federal, or other public facility, by either a principal executive officer or ranking elected official.

# All Permittees Must Complete the Following Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information; including the possibility of fine and imprisonment for knowing violations. [75-5-633, MCA]

| A. Name (Type or Print)  | Peter J Hofer |                         |
|--------------------------|---------------|-------------------------|
| B. Title (Type or Print) |               | C. Phone No. 355 - 4400 |
| D. Signature             | Hoher Manager | E. Date Signed          |

The Department will not process this form until all of the requested information is supplied, and the appropriate fees are paid. Return this form (NOI) and the applicable fee to:


Department of Environmental Quality
Water Protection Bureau
PO Box 200901
Helena, MT 59620-0901
(406) 444-3080


EPPEB 09 2017

RECEIVED

FEB 0 2 2017

DEQ WATER QUALITY DIVISION





Imagery ©2017 Google, Map data ©2017 Google 500 ft

AGENCY USE ONLY PERMIT NO.: Date Rec'd.: Amount Rec'd.: Check No.: Rec'd By: MTG010286 2.2-17 R RECEIVED Montana Department of FEB 02 2017 DEQ WATER QUALITY DIVISION WATER PROTECTION BUREAU FORM **Nutrient Management Plan** NMP READ THIS BEFORE COMPLETING FORM: Before completing this form (Form NMP), Concentrated Animal Feeding Operation (CAFO) operators need to read the General Permit, particularly Part IV.A. CAFO operators also need to read the "Instructions For filling out Form NMP," found at the back of this form. Form NMP is intended to help CAFO operators develop a site-specific Nutrient Management Plan, in compliance with Part IV.A of the General Permit and all applicable State rules and statutes. Your Nutrient Management Plan must be maintained at the site as required in Part III of the General Permit. Sections B and C on your Form NMP must state the information exactly the same way as it was stated on the most recently submitted version of your NOI-CAFO. Attach additional pages as necessary, indicating the corresponding section number on this NMP form. The 2013 General Permit, current fee schedule, and related forms are available from the Water Protection Bureau at (406) 444-3080 or http://www.deq.mt.gov/wqinfo/MPDES/CAFO.asp Section A - NMP Status: No prior NMP submitted for this site. ✓ New Resubmitted Previous NMP found incomplete. Modification Change or update to existing NMP. New 2013 New 2013 version of NMP. Section B - Facility Information: Facility Name Cool Springs Colony Facility Location SE 1/4, Sec 20 -35N- 9E Nearest City of Town Rudyard County Hill Section C – Applicant (Owner/Operator Information): Owner or Operator Name Peter J Hofer Mailing Address PO Box 246 City, State, and Zip code Rudyard, MT 59540 Facility Phone Number 1-406-355-4400 Email

### Section D - NMP Minimum Elements:

| 1. Livestock Statistics           |                              |   |  |  |  |  |
|-----------------------------------|------------------------------|---|--|--|--|--|
| Animal Type and number of animals | # of Days on Site (per year) | Annual Manure<br>Production (tons,<br>cu. yds. or gal |  |  |  |  |
| 1. Sows 2600                      | 365                          | 2,372,500gal  |  |  |  |  |
| 2. Boars 200                      | 365                          | 730,000gal  |  |  |  |  |
| 3. Nursery 1350 (12-15 lbs)       | 365                          | 463,375 gal   |  |  |  |  |
| 4. Turkeys 1500                   | 120                          | 58.5 tons   |  |  |  |  |
| 5. Ducks 600                      | 150                          | 19.8 tons   |  |  |  |  |
| 6. layers 300                     | 365                          | 8 tons  |  |  |  |  |
| 7. Broilers 800                   | 365                          | 27 tons   |  |  |  |  |
| 8.                                | -                            |   |  |  |  |  |

Method used for estimating annual manure production:

DEQ 9 production tables adjusted for high efficiency

Liquid - 3,565,875 gallons

Solids - 113.3 tons

### 2. Manure Handling

a. Describe Manure handling at the facility:
Liquid manure gravity flows to the Stage One pond then flows into Stage Two. Solid manure is scraped and applied as needed during summer and fall months. Solid waste is applied by spreader to fields before crop production or after harvest. Liquid manure is injected directly to the fields via drag hose and tool bar before crop production or after harvest.

| b. Frequency of Manure Removal from confinement areas:                          |                        |
|---|------------------------|
| Injection and Solid waste applications occur before and after crop production ( | (1st application 2017) |

- c. Is this manure temporarily stored in any location other than the confinement area? Yes No ` If so then how and where?
- d. Is manure stored on impervious surface? Yes No If yes, describe type and characteristics of this surface:

All waste is stored in concrete pits, lined ponds, or on a concrete floored barn.

| 3. Waste Control Structures |        |        |       |             |           |
|-----------------------------|--------|--------|-------|-------------|-----------|
| Waste Control               | Length | Width  | Depth | Volume      | Number of |
| Structures                  | (ft.)  | (ft.)  | (ft.) | (cubic ft.  | days of   |
| (name/type)                 |        |        | 7     | or gallons) | storage   |
| 1. Poultry Barn             | 80 ft  | 40 ft  | .5 ft | 65 tons     | 209       |
| 2. Hog Barn Pits            | 137057 | 80 ft  | 2 ft  | 1,490,0009  | 153       |
| 3. Stage 1 pond             | 250 ft | 250 ft | 6 ft  | 2,200,000g  | 225       |
| 4. Stage 2 pond             | 490 ft | 250 ft | 6 ft  | 5,500,000g  | 563       |
| 5. Isolation Pits           | 80 ft  | 50 ft  | 4 ft  | 119,000g    | 12        |
| 6.                          |        |        |       | ¥           |           |
| 7.                          |        |        |       |             |           |
| 8.                          |        |        |       |             |           |
| 9.                          |        |        |       | 1           |           |
| 10.                         |        |        |       |             |           |
| 11.                         | -      |        |       |             |           |
| 12.                         |        |        | ,     |             |           |

### 5. Clean Water Diversion Practices

Describe how clean water is diverted from production area:

All Swine, and Poultry production is enclosed. Building run-off is directed away from waste storage facilities. No production areas are exposed to runoff. Clean water is diverted away from colony buildings via clean water diversions and gutters.

6. Prohibiting Animals and Wastes from Contact with State Waters

Describe how animals and wastes are prohibited from direct contact with state waters:

No confined animals are in contact with State waters. See above

Describe how Chemicals and other contaminants are handled on-site:

All chemicals are stored within a covered concrete storage shed outside of the manure production area.

### 7. Best Management Practice (BMPS)

Describe in detail all temporary, permanent and structural BMPS which will be used to control runoff of pollutants from facility's production area. Indicate the location of these measures. If BMPS are not installed include a schedule for implementation of each of these measures. Examples of BMP measures could include but are not limited to: constructing ditches, terraces,, and waterways above and open lot to divert clean water run on; installing gutters, downspouts and buried conduits to divert roof drainage; providing more roofed area: decreasing open lot surface area; repairing of adjusting water systems to minimize water wastage; using practical amounts of water for cooling purposes; recycling water if practical and applicable.

Production Area BMP's

All clean water is diverted away from waste storage areas by drainage. All Swine, and Poultry production is indoors. All liquid manure is stored in underfloor pits and ponds. Stored manure is removed and applied to fields in a timely manner based on agronomic rates. Poultry manure is only applied during summer and fall.

Describe in detail all temporary, permanent and structural Best Management Practices (BMPs) which will be used to control runoff of pollutants from facility's land production area. Indicate the location of these practices. If not already in use, include a schedule for implementation of each of these measures. Attached details and specifications may be used to supplement this description. Examples of BMP measures could include but are not limited to: maintaining setbacks from surface waters for manure applications; managing irrigation practices to prevent ponding of wastewater on land application sites;

| never spray irrigating wa   | iste on to frozen groun   | d: consulting with the Department   | artment prior to applying any          |
|---|---|---|--|
| liquid waste to frozen or s   | snow-covered ground;  | applying wastes at agronor  | mic rates.                             |
| Land Application BMP's  | 5   |   |  |
| application set backs as  | needed. Grass filters<br>and fall before freeze u                           | minimum of 100 feet is ma<br>s are present along drainag<br>up at agronomic rates. Liqu | ge ways. Solid manure is               |
| Buffers   | ✓ Yes No  | Conservation Tillage  | ✓ Yes No                               |
| Constructed Wetlands  | Yes No  | Grass Filter  | ✓ Yes No                               |
| Infiltration Field  | Yes No  | Residue Management  | ✓ Yes No                               |
| Set backs   | Yes No  | Terrace   | Yes No                                 |
| Other examples  |   |   |  |
|   |   |   |  |
| The permittee is required maintenance of the facility Has a guidance document | to develop guidance ac<br>y, and record keeping a<br>been developed for the | as described in Part 2 of the e facility?   | of NMP, proper operation and e permit. |
| Certify the document addr   |   |   |  |
| Implementation of the NM  |   |   |  |
| Facility operation and mai  |   |   |  |
| Record keeping and report   |   |   |  |
| Sample collection and anal  |   |   |  |
| Manure transfer   | Yes   |   | 4                                      |
| Agvise Laboratories 11/14   | ance Document (Colon<br>AFO record keeping S<br>4/16 Soils. (Colony)        | locumentation: ny) Sheets last updated Decen , before the first permit bas              |  |
| If your answer to any of the All manure will be field appresecond party.      | he above question is no<br>plied within this Nutrie                         | o, provide explanation:<br>ent Management plan. No r                                    | manure is transferred to a             |

### Section E – Land Application

Will manure be land applied to land either owned, rented, or leased by the owner or operator of the facility?

Yes If yes, then the information requested in Section E must be provided.

No If no, then provide an explanation of how animal waste at this facility are managed.

See attached plan map (poultry manure is applied by spreader, swine liquid by cultivator injection)

### Photos and/or Maps

Attach an aerial photograph or map of the site where manure is to be applied. (Use multiple photos/maps if necessary to show required details.) The photo(s)/map(s) must be printed on no larger than an 11"X 17" piece of paper, and must clearly identify the following items:

- Individual field boundaries for all planned land application areas
- A name, number, letter or other means of identifying each individual land application field
- The location of any downgradient surface waters.
- The location of any downgradient open tile line intake structures
- The location of any downgradient sinkholes
- The location of any downgradient agricultural well heads
- The location of all conduits to surface waters
- The specific manure/waste handling or nutrient management restrictions associated with each land application field
- The soil type(s) present and their locations within the individual land application field(s)
- The location of buffers and setbacks around state surface waters, well heads, etc.

### **Land Application Equipment Calibration**

Describe the type of equipment used to land apply wastes and the calibration procedures:

Drag hose injector system and a solid spreader. Flow Meter and DEQ 9 defined procedure.

### Manure Sampling and Analysis Procedures

A representative manure sample will be analyzed a minimum of once annually for Total Nitrogen, and Total Phosphorus. Analysis results will be reported in lbs/ton or lbs/1,000 gal. Results of these analyses will be used in determining rates for manure, litter, and process wastewater.

Manure Sample collection will occur according to ARM 17.30.1334

Other (describe)

Manure will be sampled annually per DEQ-Circular 9 procedure and submitted to Agvise Labs

### Soil Sampling and Analysis Procedures

Representative soil (composite) samples from the top 6 inches layer of soil for each field where manure will be applied must be analyzed for phosphorus content at least once every three years. Analyses will be conducted by a qualified laboratory, using the Olsen P test. Results will be reported in parts per million (ppm) and will be used in determining application rates for manure, litter, and process wastewater

Soil samples collection will occur according the methods in ARM 17.30.1334

Other (describe)

All fields receiving manure are annually soil sampled per DEQ-Circular-9 guidelines.

### Phosphorus Risk Assessment

The permittee shall access the risk of phosphorus contamination of state waters. An assessment shall be conducted for each field, under the control of the operator, to which manure, litter or process wastewater will or

may be applied. If a new field is added in the future, then the permittee must submit a revised (modified) NMP. The permittee has the option of using Method A or Method B (below) to complete the assessment. Copies of all tables and calculations used to complete the assessments, as well as the results of the assessments, shall be submitted to the Department and copies shall be maintained on-site at the facility and available for Departmental review. The results of the assessments shall be used to determine the appropriate basis for land application of wastes from the facility.

### Method Used

Indicate which method will be used to determine phosphorus application:

Method A – Representative Soil Sample

Method B – Phosphorus Index

### Method A – Representative Soil Sample

- a. Obtain one or more representative soil sample(s) from the field per 17.30.1334
- b. Have the sample analyzed for Phosphorus by a qualified lab. The "Olsen P test" must be used for the analysis, and the result must be reported in parts per million (ppm)
- c. Using the results of the Olsen P test, determine application basis according to the Table below.

### Soil Test

| Olsen P Soil Test Results (ppm) | Application Basis                        |  |  |  |  |  |
|---------------------------------|--|--|--|--|--|--|
| <25.0                           | Nitrogen Needs of Crop                   |  |  |  |  |  |
| 25.1 - 100.0                    | Phosphorus Needs of Crop                 |  |  |  |  |  |
| 100.0 – 150.0                   | Phosphorus Needs up to Crop Removal Rate |  |  |  |  |  |
| >150.0                          | No Application allowed                   |  |  |  |  |  |

### Method B – Phosphorus Index

- a. Complete a phosphorus Index according to the crop grown on each field. Complete table in Appendix A to calculate phosphorus index. For information on filling out specific sections in Appendix A, please refer to the method as described in Natural Resource Conservation Service (NRCS), Agronomy Technical Note MT-77 (rev3), January 2006.
- b. Using the calculated Total Phosphorus Index Value, assign the overall site/field vulnerability to phosphorus loss according to the table below.

### **Total Phosphorus**

| Total Phosphorus Index Value | Site Vulnerability to Phosphorus Loss |
|------------------------------|---------------------------------------|
| <11                          | Low                                   |
| 11-21                        | Medium                                |
| 22-43                        | High                                  |
| >43                          | Very High                             |

c. Using the calculated Site Vulnerability to Phosphorus Loss, determine the appropriate application basis according to the table below.

| Site Vulnerability to Phosphorus Loss | Application Basis                         |  |  |  |  |  |
|---------------------------------------|---|--|--|--|--|--|
| Low                                   | Nitrogen Needs                            |  |  |  |  |  |
| Medium                                | Nitrogen Needs                            |  |  |  |  |  |
| High                                  | Phosphorus Need Up to Crop Removal        |  |  |  |  |  |
| Very High                             | Phosphorus Crop Removal or No Application |  |  |  |  |  |

The applicant has 2 ways in which to report how manure or process wastewater application rates can be reported to DEQ.

- 1. **Linear Approach**. Expresses rates of application as pounds of nitrogen and phosphorus. CAFOs selecting the linear approach to address rates of application must include in the NMP submitted to the permitting authority the following information for each crop, field, and year covered by the NMP, which will be used by the permitting authority to establish site-specific permit terms:
- The maximum application rate (pounds/acre/year of nitrogen and phosphorus) from manure, litter, and process wastewater.
- The outcome of the field-specific assessment of the potential for nitrogen and phosphorus transport from each field. [If a state does not have an N transport risk assessment, the NMP must document any basis for assuming that nitrogen will be fully used by crops.] The CAFO must specify any conservation practices used in calculating the risk rating.
- The crops to be planted or any other uses of a field such as pasture or fallow fields.
- The realistic annual yield goal for each crop or use identified for each field.
- The nitrogen and phosphorus recommendations from in ARM 17.30.1334 (technical standard) for each crop or use identified for each field.
- Credits for all residual nitrogen in each field that will be plant-available.
- Consideration of multi-year phosphorus application. For any field where nutrients are applied at a rate based on the crop phosphorus requirement, the NMP must account for single-year nutrient applications that supply more than the crop's annual phosphorus requirement.
- All other additions of plant available nitrogen and phosphorus (i.e., from sources other than manure, litter, or process wastewater or credits for residual nitrogen).
- The form and source of manure, litter, and process wastewater to be land-applied.
- The timing and method of land application. The NMP also must include storage capacities needed to ensure adequate storage that accommodates the timing indicated.
- The methodology that will be used to account for the amount of nitrogen and phosphorus in the manure, litter, and wastewater to be applied.
- Any other factors necessary to determine the maximum application rate identified in accordance with this Linear Approach.
- 2. Narrative Rate Approach. Expresses a narrative rate of application that results in the amount, in tons or gallons, of manure, litter, and process wastewater to be land applied. CAFOs selecting the narrative rate approach to address rates of application must include in the NMP submitted to the permitting authority the following information for each crop, field, and year covered by the NMP, which will be used by the permitting authority to establish site-specific permit terms:
- The maximum amounts of nitrogen and phosphorus that will be derived from all sources of nutrients (pounds/acre for each crop and field).
- The outcome of the field-specific assessment of the potential for nitrogen and phosphorus transport from each field. The CAFO must specify any conservation practices used in calculating the risk rating.
- The crops to be planted in each field or any other uses of a field such as pasture or fallow fields, including alternative crops if applicable. Any alternative crops included in the NMP must be listed by field, in addition to the crops identified in the planned crop rotation for that field.
- The realistic annual yield goal for each crop or use identified for each field for each year, including any alternative crops identified.
- The nitrogen and phosphorus recommendations from [the permitting authority to specify acceptable sources] for each crop or use identified for each field, including any alternative crops identified.
- The methodology (including formulas, sources of data, protocols for making determination, etc.) and actual data that will be used to account for: (1) the results of soil tests required by Parts II.A.4.b and III.A.3.g of this

permit, (2) credits for all nitrogen in the field that will be plant- available, (3) the amount of nitrogen and phosphorus in the manure, litter, and process wastewater to be applied, (4) consideration of multi-year phosphorus application (for any field where nutrients are applied at a rate based on the crop phosphorus requirement, the methodology must account for single-year nutrient applications that supply more than the crop's annual phosphorus requirement), (5) all other additions of plant available nitrogen and phosphorus to the field (i.e., from sources other than manure, litter, or process wastewater or credits for residual nitrogen), (6) timing and method of land application, and (7) volatilization of nitrogen and mineralization of organic nitrogen.

- Any other factors necessary to determine the amounts of nitrogen and phosphorus to be applied in accordance with the Narrative Rate Approach.
- NMPs using the Narrative Rate Approach must also include the following projections, which will not be used by the permitting authority in establishing site-specific permit terms:
- i. Planned crop rotations for each field for the period of permit coverage.
- ii. Projected amount of manure, litter, or process wastewater to be applied.
- iii. Projected credits for all nitrogen in the field that will be plant-available.
- iv. Consideration of multi-year phosphorus application.
- v. Accounting for other additions of plant-available nitrogen and phosphorus to the field.
- vi. The predicted form, source, and method of application of manure, litter, and process wastewater for each crop
  - If the receiving water is on the 303(d) list for nutrients then the narrative rate approach must be used.
  - a. For the Linear Approach the permittee will complete the Nutrient Budget Worksheet, below, for the next
     5 years to which manure or process waste water is or may be applied. A copy of each Nutrient Budget
     Worksheet will be maintained on site, and a copy will be submitted to the Department.

|     |         | t Budget Worksheet  |                               |                                     |                       |
|-----|---------|---|-------------------------------|-------------------------------------|-----------------------|
|     |         | entification: Section 20 Yea  |                               | Crop: Durum Wh                      | eat                   |
| Ex  | pecte   | d Crop Yield: 50 Bushels/ac   | re                            |                                     |                       |
| Ph  | ospho   | orus index results or Phosphoru   |                               | DOXX 10011                          | M P Soil test         |
| Me  | ethod   |   | tion at agronomi              | c rate                              |                       |
| _   |         | vill application occur: April 20  |                               |                                     | •                     |
| Nu  | ıtrient | t Budget  | Nitrogen-based<br>Application | Phosphorus-<br>based<br>Application | Source of information |
| 1   |         | Crop Nutrient Needs, lbs/acre   | 165 lbs                       | 24 lbs                              | EB161                 |
| 2   | (-)     | Credits from previous legume crops, lbs/ac  | 67 lbs                        | NA                                  | Soil Test N           |
| 3   | (-)     | Residuals from past manure production lbs/acre                                      | NA                            | NA                                  | First Application     |
| 4   | (-)     | Nutrients supplied by commercial fertilizer and Biosolids, lbs/acre                 | 20 lbs                        | 10                                  | Starter               |
| 5   | (-)     | Nutrients supplied in irrigation water, lbs/acre                                    | NA                            | NA                                  |                       |
| 6   |         | = Additional Nutrients<br>Needed, lbs/acre  | 78 lbs                        | 14 lbs                              | EB 161                |
|     |         |   |                               |                                     |                       |
| 7   |         | Total Nitrogen and Phosphorus in manure, Ibs/ton or lbs/1000 gal (from manure test) | 8 lbs/1000g                   | 3 lbs/1000g                         | Example only          |
| 8   | (x)     | Nutrient Availability factor, for Phosphorus based application use 1.0              | .9                            | 1                                   | NRCS DEQ-9            |
| 9   |         | = Available Nutrients in<br>Manure, lbs/ton or<br>lbs/1000 gal                      | 7.2 lbs/1000g                 | 3 lbs/1000g                         |                       |
|     |         |   |                               |                                     |                       |
| 10  | -       | Additional Nutrients<br>needed, lbs/acre (calculated<br>above)                      | 78 lbs                        | 14 lbs                              |                       |
| 11  | (/)     | Available Nutrients in<br>Manure, lbs/ton or lbs/1000<br>gal (calculated above)     | 7.2 lbs/1000g                 | 3 lbs/1000g                         |                       |
| .12 |         | = Manure Application<br>Rate, tons/acre or 1000<br>gal/acre                         | 10,000g/acre                  | NA                                  | (Nitrogen Based)      |

Comments:

This is an example of how agronomic rates will be calculated for Cool Springs Colony. The first liquid manure applications will occur in spring 201 7 A manure analysis will be completed for manure sources prior to their 1st spring of 2017 applications. Ponds have not been emptied previously.

### Section F - CERTIFICATION

Permittee Information: This form must be completed, signed, and certified as follows:

- For a corporation, by a principal officer of at least the level of vice president;
- For a partnership or sole proprietorship, by a general partner or the proprietor, respectively; or
- For a municipality, state, federal, or other public facility, by either a principal executive officer or ranking elected official.

### All Permittees Must Complete the Following Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information; including the possibility of fine and imprisonment for knowing violations. [75-5-633, MCA]

| A. Name (Type or Print)  Peter J Hofer        |                            |
|---|----------------------------|
| B. Title (Type or Print)  Figure Cial Manager | C. Phone No.<br>355 - 4400 |
| D. Signature                                  | E. Date Signed             |
| Seter I Voles                                 | 2-1-17                     |

The Department will not process this form until all of the requested information is supplied, and the appropriate fees are paid. Return this form and the applicable fee to:

Department of Environmental Quality
Water Protection Bureau
PO Box 200901
Helena, MT 59620-0901
(406) 444-3080

RECUIVED

FEB 02 2017

DEQ WATER QUALITY DIVISION

# Cool Springs Colony - NMP



Total 1455a

438 a

477 a

305.

Spreading will be set back 100 feet where indicated

표

Cool springs Colony - NMP


Area of Interest (AOI)

Soil Map

Soil Survey Status Glossary Preferences | Link Logout | Help

Download Soils Data Shopping Cart (Free)

Printable Version Add to Shopping Cart



# Cool Springs Colony-NM

| Search                |   |                 |                   |
|-----------------------|---|-----------------|-------------------|
| Map Unit              | : Legend  |                 |                   |
|                       |   |                 |                   |
| Hill Cou              | Hill County, Montana (MT041)                                  | ā<br>8          |                   |
| Map<br>Unit<br>Symbol | Map Unit Name   | Acres<br>in AOI | Percent<br>of AOI |
| 37A                   | Evanston loam, 0 to 2 percent slopes                          | 20.9            | 0.5%              |
| 96B                   | Fortbenton fine sandy loam, 0 to 4 percent slopes             | 16.9            | 0.4%              |
| 224D                  | Hillon-Joplin loams, 8 to 15 percent slopes                   | 104.8           | 2.5%              |
| 309A                  | Marvan complex, 0 to 2 percent slopes                         | 1.2             | 0.0%              |
| 421C                  | Joplin-Hillon loams, 2 to 8 percent slopes                    | 488.9           | 11.9%             |
| 503B                  | Telstad-Joplin loams, 0 to 4 percent slopes                   | 2,658.6         | 64.6%             |
| 603A                  | Havre-Harlake clay loams, 0 to 2 percent slopes               | 172.1           | 4.2%              |
| 951B                  | Kenilworth-Fortbenton fine sandy loams, 0 to 4 percent slopes | 79.4            | 1.9%              |
| 968C                  | Fortbenton-Hillon complex, 2 to 8 percent slopes              | 570.0           | 13.9%             |
| Totals for            | Totals for Area of Interest                                   | 4,112.8         | 100.0%            |

FOIA | Accessibility Statement | Privacy Policy | Non-Discrimination Statement | Information Quality | USA.gov | White House

| Field:  |   | Cro   | p:   | Ye   | ar:   |                           |                  |               |
|---|---|---|--|--|---|---------------------------|------------------|---------------|
| Field<br>Category<br>Factor                           | None (0)  | Low (1)   | Medium (2)   | High (4)   | Very High<br>(8)  | Risk Value<br>(0,1,2,4,8) | Weight<br>Factor | Weigh<br>Risk |
| Soil Erosion  | NA  | <5 tons/as/yr   | 5-10 ton/ac/yr   | 10-15<br>tons/ac/yr  | QA> 10 for<br>erodible<br>soils                             | 1                         | X 1.5            | 1.5           |
| Furrow<br>Irrigation<br>Erosion                       | N/A   | Tail water<br>recovery, QS>6<br>very erodible<br>soils, or QS>10<br>other soils |  | QS> for<br>erodible soils  | QA>6 for<br>very erodible<br>soils                          | 0                         | X 1.5            | 0             |
| Sprinkler<br>Irrigation<br>Erosion                    | All fields 0-<br>3% slope, all<br>sandy fields<br>or field<br>evaluation<br>indicates<br>little or no<br>runoff large<br>spray on<br>silts 3-8% | on silty soils 3-<br>15% slopes,<br>large spray on<br>silty soils 8-            | Medium spray<br>on clay soils 3-<br>8% slopes, large<br>spray on clay<br>soils >15%<br>slope, medium<br>spray on silt soil<br>>15% slope | Medium<br>spray on clay<br>soils >8%<br>slope, low<br>spray on clay<br>soil 3-8%<br>slope, low<br>spray on<br>silty soils<br>>15% slopes | Low spray<br>on clay soils<br>>8% slopes                    | 0                         | X 1.5            | 0             |
| Runoff Class  | Negligible  | Very Low or<br>Low  | Medium   | High   | Very High   | l                         | X 0.5            | .5            |
| Olson Soil<br>Test P                                  |   | <20 ppm   | 20-40 ppm  | 40-80 ppm  | >80 ppm   | l.                        | X 0.5            | .5            |
| Commercial<br>P Fertilizer<br>Application<br>Method   | None<br>Applied   | Placed with<br>Planter or<br>injection<br>deeper than 2<br>inches               | Incorporated <3<br>months prior to<br>planting or<br>surface applied<br>during growing<br>season   |  | Surface applied to pasture or >3 months before crop emerges |                           | X 1.0            |               |
| Commercial<br>P Fertilizer<br>Application<br>Rate     | None<br>Applied   | <30 lbs/ac<br>P205  | 31-90 lbs/ac<br>P205   | 91-150<br>lbs/ac P205  | >150 lbs/ac<br>P205   | 2                         | X 1.0            | 2             |
| Organic P<br>Source<br>Application<br>Method          | None<br>Applied   |   | Incorporated <3<br>months prior to<br>planting or<br>surface applied<br>during growing<br>season   | >3 months<br>before crop<br>or surface<br>applied <3   | Surface applied to pasture or >3 months before crop emerges | . <b>1</b>                | X 1.0            | ı             |
| _   | None<br>Applied   |   |  | 1  | >150 lbs/ac<br>P205   | 2                         | X 1.0            | 2             |
| Distance to<br>Concentrate<br>I Surface<br>Water Flow |   | feet, or<br>functioning<br>grass  | 100-200 feet   |  | 0 feet or application are directly into                     | 2                         | <b>(1.0</b>      | 2             |
|   |   | waterways in<br>concentrated<br>surface water                                   |  | <b>3</b>   | concentrate<br>d surface<br>water flow<br>areas.            |                           | 2                |               |
| otal Phosph   | norus Index \   | /alue:  |  |  | 5   |                           | 9.5)             |               |

# Cool springs Colony Sec 20 - NMP

| Category Factor   Soil Erosion   NA  | Field:                      |  | Cro  | p:   | Ye   | ar:   |             |        |        |
|--|-----------------------------|--|--|--|--|---|-------------|--------|--------|
| Factor   Soil Erosion   NA   | Field                       | None (0)   | Low (1)  | Medium (2)   | High (4)   | Very High   | Risk Value  | Weight | Weight |
| Furrow Irrigation Erosion  Sprinkler Erosion  All fields 0- very erodible soils, or QS>10 other soils overy erodible soils or least soils or least soils soils or least soils  |                             |  |  |  |  | (8)   | (0,1,2,4,8) | Factor | Risk   |
| Irrigation   Perceit   P   | Soil Erosion                | NA   | <5 tons/as/yr  | 5-10 ton/ac/yr   |  | erodible  | l           | X 1.5  | 1.5    |
| Irrigation   3% slope, all   on sitty solls 3- sandy fields or field evaluation indicates   large spray on clay solls 3- slope, low spray on sitty solls 8- slope, low spray on sitts of little or no runoff large spray on sitts 3-8% slope   Negligible   Very Low or Low   Very   | Irrigation                  |  | recovery, QS>6<br>very erodible<br>soils, or QS>10<br>other soils  | resistant soil   |  | very erodible   | 0           | X 1.5  | 0      |
| Commercial P Fertilizer Applied   None P Fertilizer Application Method   None Application Method   None P Fertilizer Application Method   None Organic P Source Application Method   None Application Method   None Organic P Source Application Method   None Application Method   None Organic P Source Application Rate   None Organic P Source Application P Source Application Rate   None Organic P Source Application   None Organic P Source Organic P Source Application   None Organic P Source Organic P Source Application   None Organic P Source O   | Irrigation<br>Erosion       | 3% slope, all<br>sandy fields<br>or field<br>evaluation<br>indicates<br>little or no<br>runoff large<br>spray on<br>silts 3-8%   | on silty soils 3-<br>15% slopes,<br>large spray on<br>silty soils 8-<br>15% slope, low<br>spray on silt<br>soils 3-8%<br>large spray on<br>clay soil 3-15%<br>slope  | on clay soils 3-<br>8% slopes, large<br>spray on clay<br>soils >15%<br>slope, medium<br>spray on silt soil | spray on clay<br>soils >8%<br>slope, low<br>spray on clay<br>soil 3-8%<br>slope, low<br>spray on<br>silty soils<br>>15% slopes | on clay soils<br>>8% slopes   |             |        | 0      |
| Test P  Commercial P Fertilizer Application Method  None Application Method  None Placed with Planter or injection deeper than 2 inches  Surface applied of planting or or surface applied during growing season  None P Fertilizer Application Rate  Organic P Source Application Method  None Application Method  None Source Application Method  Organic P Source Application Method  None Application Method  None Source Application Method  Organic P Source Applied Application Method  None Source Applied Application Method  Organic P Source Applied Application Rate  Distance to Concentrate  Distance to Concentrate  Organic P Source Application Rate  Distance to Concentrate  Organic P Source Application Rate  Distance to Concentrate  None Source Application Rate  Organic P Source Application Rate  Distance to Concentrate  Organic P Source Application Rate  Organic P Source Ap | Runoff Class                | Negligible   |  | Medium   | High   | Very High   | 1           | X 0.5  | .5     |
| P Fertilizer Application Method  Applied Planter or injection deeper than 2 inches  Commercial P Fertilizer Application Rate  Organic P Source Application Method  Organic P Source Application Rethod  Organic P Source Application Rethod Rethod  Organic P Source Application Rethod Re |                             |  |  |  |  |   | 2           |        | l      |
| P Fertilizer Application Rate  Organic P Source Application Method  None Application Method  Organic P Source Application Rate  Organic P Source Application Rate  Organic P Source Application Rate  Distance to Concentrate  Organic P Source Application Rate  Distance to Concentrate  Organic P Source Application Rate  Distance to Concentrate  | P Fertilizer<br>Application | 697  | Planter or<br>injection<br>deeper than 2   | months prior to<br>planting or<br>surface applied<br>during growing  | >3 months<br>before crop<br>or surface<br>applied <3<br>months<br>before crop  | applied to<br>pasture or<br>>3 months<br>before crop                          |             | X 1.0  |        |
| Source Application Method  Applied deeper than 2 inches planting or surface applied during growing season planting or surface applied of season planting or surface applied or surface a | P Fertilizer<br>Application | Contract of the contract of th | The second secon |  |  |   | 2           | X 1.0  | 2      |
| Source Applied P205 P205 Ibs/ac P205 P205  Application Rate  Distance to Concentrate  Applied P205 P205 Ibs/ac P205 P205  Application P205 P205 P205  X 1.0  | Source<br>Application       | in marriage  | deeper than 2<br>inches  | months prior to<br>planting or<br>surface applied<br>during growing  | >3 months<br>before crop<br>or surface<br>applied <3<br>months   | applied to<br>pasture or<br>>3 months<br>before crop                          |             |        | ı      |
| Concentrate feet, or application   | Source<br>Application       | _  |  |  |  |   | 2           | X 1.0  | 2      |
| Water Flow  grass  waterways in  concentrated surface water  into concentrate d surface water flow areas.  | Concentrate<br>d Surface    |  | feet, or<br>functioning<br>grass<br>waterways in<br>concentrated   | 100-200 feet   |  | application<br>are directly<br>into<br>concentrate<br>d surface<br>water flow |             | X 1.0  | 1      |
| Total Phosphorus Index Value:  | Fotal Phospl                | horus Index \  | /alue:   |  |  |   |             | (10    | .0)    |

# Cool Springs Colony Sec 28 - NMP

| Field:  |   | Cro   | p:   | Ye  | ear:  |                           |                  |                |
|---|---|---|--|---|---|---------------------------|------------------|----------------|
| Field<br>Category<br>Factor                           | None (0)  | Low (1)   | Medium (2)   | High (4)  | Very High<br>(8)  | Risk Value<br>(0,1,2,4,8) | Weight<br>Factor | Weight<br>Risk |
| Soil Erosion  | ,   | <5 tons/as/yr   | 5-10 ton/ac/yr   | 10-15<br>tons/ac/yr   | QA> 10 for erodible soils   | 1                         | X 1.5            | 1.5            |
| Furrow<br>Irrigation<br>Erosion                       | N/A   | Tail water<br>recovery, QS>6<br>very erodible<br>soils, or QS>10<br>other soils |  | QS> for<br>erodible soils   | QA>6 for<br>very erodible<br>soils  | 0                         | X 1.5            | 0              |
| Sprinkler<br>Irrigation<br>Erosion                    | All fields 0-<br>3% slope, all<br>sandy fields<br>or field<br>evaluation<br>indicates<br>little or no<br>runoff large<br>spray on<br>silts 3-8% | 15% slopes,<br>large spray on<br>silty soils 8-                                 | on clay soils 3-<br>8% slopes, large<br>spray on clay<br>soils >15%<br>slope, medium<br>spray on silt soil<br>>15% slope | slope, low<br>spray on clay<br>soil 3-8%  | >8% slopes  | 8                         | X 1.5            | 8              |
| Runoff Class  | Negligible  | Very Low or<br>Low  | Medium   | High  | Very High   | 2                         | X 0.5            | 1              |
| Olson Soil<br>Test P                                  |   | <20 ppm   | 20-40 ppm  | 40-80 ppm   | >80 ppm   | 2                         | X 0.5            | 1              |
| Commercial P Fertilizer Application Method            | None<br>Applied   | Placed with<br>Planter or<br>injection<br>deeper than 2<br>inches               | Incorporated <3<br>months prior to<br>planting or<br>surface applied<br>during growing<br>season                         | Incorporated >3 months before crop or surface applied <3 months before crop emerges | Surface applied to pasture or >3 months before crop emerges                     |                           | X 1.0            | ١              |
| Commercial<br>P Fertilizer<br>Application<br>Rate     | None<br>Applied   | <30 lbs/ac<br>P205  | 31-90 lbs/ac<br>P205   | 91-150<br>lbs/ac P205   | >150 lbs/ac<br>P205   | 2                         | X 1.0            | 2              |
| Organic P<br>Source<br>Application<br>Method          | None<br>Applied   | deeper than 2<br>inches   | surface applied<br>during growing<br>season  | >3 months<br>before crop<br>or surface<br>applied <3                                | Surface applied to pasture or >3 months before crop emerges                     | 7                         | X 1.0            | 1              |
|   |   |   |  |   | >150 lbs/ac<br>P205   | 2                         | < 1.0            | 2              |
| Distance to<br>Concentrate<br>I Surface<br>Vater Flow |   | 200-1,000 feet, or functioning grass waterways in concentrated surface water    | 100-200 feet   |   | 0 feet or application are directly into concentrate d surface water flow areas. | 1                         | (1.0             | 1              |
| otal Phosph   | orus Index V  | 'alue:  |  |   |   |                           | (10              | .3/            |

# Coal Springs Colony Sec 29 - NMP

| Field:  |   | Cro   |  | _  | ar:   |                           |                  |              |
|---|---|---|--|--|---|---------------------------|------------------|--------------|
| Field<br>Category<br>Factor                           | None (0)  | Low (1)   | Medium (2)   | High (4)   | Very High<br>(8)  | Risk Value<br>(0,1,2,4,8) | Weight<br>Factor | Weig<br>Risk |
| Soil Erosion  | NA  | <5 tons/as/yr   | 5-10 ton/ac/yr   | 10-15<br>tons/ac/yr  | QA> 10 for erodible soils   | l                         | X 1.5            | l            |
| Furrow<br>Irrigation<br>Erosion                       | N/A   | Tail water<br>recovery, QS>6<br>very erodible<br>soils, or QS>10<br>other soils |  | QS> for<br>erodible soils  | QA>6 for<br>very erodible<br>soils  | ٥                         | X 1.5            | 0            |
| Sprinkler<br>Irrigation<br>Erosion                    | All fields 0-<br>3% slope, all<br>sandy fields<br>or field<br>evaluation<br>indicates<br>little or no<br>runoff large<br>spray on<br>silts 3-8% | on silty soils 3-<br>15% slopes,<br>large spray on<br>silty soils 8-            | Medium spray<br>on clay soils 3-<br>8% slopes, large<br>spray on clay<br>soils >15%<br>slope, medium<br>spray on silt soil<br>>15% slope | Medium<br>spray on clay<br>soils >8%<br>slope, low<br>spray on clay<br>soil 3-8%<br>slope, low<br>spray on<br>silty soils<br>>15% slopes | >8% slopes  | 0                         | X 1.5            | 0            |
| Runoff Class  | Negligible  | Very Low or<br>Low  | Medium   | High   | Very High   | 2                         | X 0.5            | 1            |
| Olson Soil<br>Test P                                  |   | <20 ppm   | 20-40 ppm  | 40-80 ppm  | >80 ppm   | 2                         | X 0.5            | 1            |
| Commercial<br>P Fertilizer<br>Application<br>Method   | Applied   | Placed with<br>Planter or<br>injection<br>deeper than 2<br>inches               | Incorporated <3<br>months prior to<br>planting or<br>surface applied<br>during growing<br>season   | -  | Surface applied to pasture or >3 months before crop emerges                     | L                         | X 1.0            | ١            |
| Commercial<br>P Fertilizer<br>Application<br>Rate     | None<br>Applied   |   | 31-90 lbs/ac<br>P205   | 91-150<br>Ibs/ac P205  | >150 lbs/ac<br>P205   | 2                         | X 1.0            | 2            |
| Organic P<br>Source<br>Application<br>Method          | None<br>Applied   | deeper than 2<br>inches   | surface applied<br>during growing<br>season  | >3 months<br>before crop<br>or surface<br>applied <3   | Surface applied to pasture or >3 months before crop emerges                     | 1 7                       | X 1.0            | I            |
| _   | 1   |   | 25   |  | >150 lbs/ac<br>P205   | 2                         | (1.0             | 2            |
| Distance to<br>Concentrate<br>I Surface<br>Vater Flow |   | 200-1,000 feet, or functioning grass waterways in concentrated surface water    | 100-200 feet   |  | O feet or application are directly into concentrate d surface water flow areas. | 1                         | (1.0             | , 1          |
| otal Phosph   |   |   |  |  |   |                           | -                | 1            |

| Field:  |  | Cro   | p:   | Ye  | ar:   |                           |                  |               |
|---|--|---|--|---|---|---------------------------|------------------|---------------|
| Field<br>Category<br>Factor                         | None (0)   | Low (1)   | Medium (2)   | High (4)  | Very High<br>(8)  | Risk Value<br>(0,1,2,4,8) | Weight<br>Factor | Weigl<br>Risk |
| Soil Erosion  | NA   | <5 tons/as/yr   | 5-10 ton/ac/yr   | 10-15<br>tons/ac/yr   | QA> 10 for erodible soils   | 1                         | X 1.5            | 1.5           |
| Furrow<br>Irrigation<br>Erosion                     | N/A  | Tail water<br>recovery, QS>6<br>very erodible<br>soils, or QS>10<br>other soils   |  | QS> for<br>erodible soils   | QA>6 for<br>very erodible<br>soils  | 0                         | X 1.5            | 0             |
| Sprinkler<br>Irrigation<br>Erosion                  | All fields 0-<br>3% slope, all<br>sandy fields<br>or field<br>evaluation<br>indicates<br>little or no<br>runoff large<br>spray on<br>silts 3-8%  | Medium spray<br>on silty soils 3-<br>15% slopes,<br>large spray on<br>silty soils 8-<br>15% slope, low<br>spray on silt<br>soils 3-8%<br>large spray on<br>clay soil 3-15%<br>slope | 8% slopes, large<br>spray on clay<br>soils >15%<br>slope, medium<br>spray on silt soil<br>>15% slope | slope, low<br>spray on clay<br>soil 3-8%  | Low spray<br>on clay soils<br>>8% slopes  | 0                         | X 1.5            | 0             |
| Runoff Class  | Negligible   | Very Low or<br>Low  | Medium   | High  | Very High   | ١                         | X 0.5            | ,5            |
| Olson Soil<br>Test P                                | <u></u>  | <20 ppm   | 20-40 ppm  | 40-80 ppm   | >80 ppm   | 2                         | X 0.5            | 1             |
| Commercial<br>P Fertilizer<br>Application<br>Method | None<br>Applied  | Placed with<br>Planter or<br>injection<br>deeper than 2<br>inches   | Incorporated <3<br>months prior to<br>planting or<br>surface applied<br>during growing<br>season     | Incorporated >3 months before crop or surface applied <3 months before crop emerges | Surface applied to pasture or >3 months before crop emerges                     | l                         | X 1.0            | ١             |
| 1   | None<br>Applied  | <30 lbs/ac<br>P205  | 31-90 lbs/ac<br>P205   | 91-150<br>lbs/ac P205   | >150 lbs/ac<br>P205   | 2                         | X 1.0            | 2             |
| _   |  | deeper than 2<br>inches   | Incorporated <3<br>months prior to<br>planting or<br>surface applied<br>during growing<br>season     | >3 months before crop or surface applied <3 months before crop.                     | applied to pasture or >3 months before crop emerges                             |                           | X 1.0            | 1             |
| 1   | 100 may 100 ma |   |  |   | >150 lbs/ac<br>P205   | 2                         | < 1.0            | 2             |
| oistance to<br>Concentrate<br>Surface<br>Vater Flow |  | 200-1,000 feet, or functioning grass waterways in concentrated surface water  | 100-200 feet   |   | O feet or application are directly into concentrate d surface water flow areas. | 2                         | (1.0             | 2             |



Cut Bank, MT

Soil Analysis by Agvise Laboratories (http://www.agvise.com) Northwood: (701) 587-6010 Benson: (320) 843-4109

### SUBMITTED FOR:

**Cool Spring Colony** 

**Box 246** 

Rudyard, MT

59427

### **SOIL TEST REPORT**

FIELD ID **Langel North** 

SAMPLE ID

FIELD NAME

COUNTY

TWP

RANGE SECTION-

PREV. CROP Wheat-Winter

SUBMITTED BY: CG2345

ACRES 305

CG AG CONSULTING LLC

444 HWY 213

**CUT BANK, MT** 59427

REF #

1778257 BOX #

LAB # NW175266

Date Sampled

Date Received 11/14/2016

Date Reported 11/15/20

| Nutrient I          | n The Soll   | 1                                       | nterp   | relation |                      | 1                             | st Cı             | rop Choic | :е     | 2nd C                         | rop Choic                | ce                                      |                     | 3rd C               | rop Ch               | oice    |  |  |
|---------------------|--------------|---|---------|----------|----------------------|-------------------------------|-------------------|-----------|--------|-------------------------------|--------------------------|---|---------------------|---------------------|----------------------|---------|--|--|
|                     |              | 200000000000000000000000000000000000000 |         |          | 1.11                 |                               | Pe                | eas-Field |        |                               |                          |   |                     |                     |                      |         |  |  |
| 0-6"                | 7 lb/a       | ****                                    |         |          |                      |                               | YIE               | LD GOAL   |        | YIE                           | LD GOAL                  |   |                     | YI                  | ELD GOAL             |         |  |  |
|                     |              |   |         |          |                      |                               | 4                 | 0 BU      |        |                               |                          |   |                     |                     |                      |         |  |  |
|                     | 1/1          |   |         |          |                      | SUC                           | uggested guidelin |           | IES    | SUGGEST                       | SUGGESTED GUIDELINES     |   | SUGGESTED GUIDELINE |                     |                      | LINES   |  |  |
| Nitrate             | V            | ×4.7                                    |         |          |                      |                               |                   |           |        | Band                          |                          |   |                     |                     |                      |         |  |  |
|                     | ^            |   |         |          |                      | LB/                           | AERE \            | APPLICA   | MOIT   | LB/ACRE                       | APPLICA                  | TION                                    | ·L                  | B/ACRE              | APPL                 | ICATION |  |  |
| Olsen<br>Phosphorus |              | *****                                   | *****   | ****     |                      | N/                            | 23                | )         |        | N                             |                          |   | N                   |                     |                      |         |  |  |
| Potassium           | ₩ 304 ppm    | *****                                   | *****   | *****    | ****                 | P <sub>2</sub> O <sub>5</sub> | 24                | Band      | *      | P <sub>2</sub> O <sub>5</sub> |                          |   | P <sub>2</sub> O    | 5.                  |                      |         |  |  |
| 0-6"                | 7 lb/ac      | ***                                     |         |          |                      | Кю                            | 0                 |           |        | K <sub>2</sub> O              |                          |   | K <sub>2</sub> O    |                     |                      | -       |  |  |
| Chloride 0-6"       |              |   |         |          |                      | cı\                           |                   | Not Ava   | ilable | а                             |                          |   | а                   |                     |                      |         |  |  |
|                     | L 6 16/ac    | *****                                   |         |          |                      |                               |                   |           |        |                               |                          |   |                     |                     |                      |         |  |  |
| Sulfur.<br>Boron    | 0.5          |   |         |          |                      | S                             | 12                | Band      |        | S                             |                          |   | S                   |                     |                      |         |  |  |
| Zinc                | 0.38 ppm     | >******                                 | 44.05.2 |          |                      | В                             | 0                 |           |        | В                             |                          |   | В                   |                     |                      |         |  |  |
| Iron                |              |   |         | *****    |                      | Zn                            | 3                 | Band (Tr  | ial)   | Zn                            |                          |   | Zn                  |                     |                      |         |  |  |
| Manganese           |              | *****                                   |         | 352      |                      | Fe                            | 0                 | _         |        | Fe                            |                          |   | Fe                  |                     |                      |         |  |  |
| Copper              | 0.73 ppm     | *****                                   | *****   |          | esin<br>Mark<br>Mark | Mn                            | 0                 |           |        | Mn                            |                          |   | Mn                  |                     |                      |         |  |  |
| Magnesium           | , 320 ppm    | *****                                   | *****   | *****    |                      | Cu                            | 0                 |           |        | Cu                            |                          |   | Cu                  |                     |                      |         |  |  |
| Calcium             | 5062 ppm     | *****                                   | *****   | *****    |                      | Mg                            | 0                 |           |        | Mg                            |                          |   | Mg                  |                     |                      |         |  |  |
| Sodium              | 16 ppm       | **                                      |         |          |                      | Lime                          |                   |           |        | Lime                          |                          |   | Lime                |                     |                      |         |  |  |
| Org Matter          | 1.8 %        | ******                                  | •       |          |                      |                               |                   |           | Cati   | on Exchange                   | % Ba                     | se Sa                                   | aturation (Typi     |                     | pical Ra             | nge)    |  |  |
| Carbonate(CCE)      | 1.9 %        | *****                                   | ***     |          |                      | Soil p                        | H                 | Buffer pH |        | Capacity                      | % Ca                     | 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |                     | Mg % K              |                      | % н     |  |  |
| Sol. Salts          | 0.23 mmho/cm | ******                                  |         |          |                      | 0-6" 8                        | .1                |           |        | 28.8 meg                      | (65-75)<br>8 <b>7.</b> 8 | (15-2                                   |                     | (1-7)<br><b>2.7</b> | % Na<br>(0-5)<br>0.2 | (0-5)   |  |  |

General Comments: Texture is not estimated on high pH soils.

Crop 1: \*\* Chloride yield data is limited for this crop. Soil Nitrogen level is estimated at 20 lbs/acre. \* Caution: Seed Placed Fertilizer Can Cause Injury \* Many crops may respond to a starter application of P & K even on high soil tests. Crop Removal: P205 = 28 K20 = 29 AGVISE Band guidelines will build P & K test level to the medium range over many years.

# NMP



# Ag Consulting

Cut Bank, MT

Soil Analysis by Agvise Laboratories (http://www.agvise.com) Northwood: (701) 587-6010 Benson: (320) 843-4109

SUBMITTED FOR:

**Cool Spring Colony** 

**Box 246** 

Rudyard, MT

59427

### **SOIL TEST REPORT**

FIELD ID **NW of Colony** 

SAMPLE ID

FIELD NAME

COUNTY

TWP

SECTION PREV. CROP Fallow RANGE

ACRES 154.5


SUBMITTED BY:

CG AG CONSULTING LLC

444 HWY 213

**CUT BANK, MT** 

59427



REF #

1778268

BOX #

LAB # NW175220

Date Sampled

Date Received 11/14/2016

Date Reported 11/15/20

| Nutrient I                  | n The Soil                   | ū      | Interpretation |       |        | 1st Crop Choice               |                      |                  |                      | 2n                            | id Cro        | p Choic                                 | е 📗                  | 3rd Crop Choice |                   |         |  |  |
|-----------------------------|------------------------------|--------|----------------|-------|--------|-------------------------------|----------------------|------------------|----------------------|-------------------------------|---------------|---|----------------------|-----------------|-------------------|---------|--|--|
|                             |                              |        |                |       | 117.15 |                               | E                    | Durum            |                      |                               |               |   |                      |                 |                   |         |  |  |
| 0-6"<br>6-24"               | 7 lb/ac<br>60 lb/ac          | 1 :    |                |       |        |                               | YIELD GOAL           |                  |                      | YIELD GOAL                    |               |   |                      | YIELD GOAL      |                   |         |  |  |
|                             | do ibyac                     | 11     | *****          | *     |        |                               | 50                   | BU 3             | 3                    |                               |               |   |                      |                 |                   |         |  |  |
| 0-24"                       | 67 lb/ac                     |        |                |       |        | SUG                           | SUGGESTED GUIDELINES |                  | SUGGESTED GUIDELINES |                               |               | S                                       | SUGGESTED GUIDELINES |                 |                   |         |  |  |
| Nitrate                     | -11                          |        |                |       |        |                               |                      | Band             |                      |                               |               |   |                      |                 |                   |         |  |  |
|                             | W                            |        |                |       |        | LB/                           | ACRE                 | APPLICAT         | TION                 | LB/ACRE                       |               | APPLICAT                                | ION                  | LB/ACRI         | APPL              | ICATION |  |  |
| Olsen<br>Phosphorus         | M 11 ppm                     | *****  | *****          | ***** |        | N                             | 98                   | Customi          | zed                  | N                             |               | 120000000000000000000000000000000000000 |                      | N               |                   |         |  |  |
| Potassium                   | <b>№</b> 236 ppm             | *****  | *****          | ***** | *****  | P <sub>2</sub> O <sub>5</sub> | 24                   | Band 3           | *                    | P <sub>2</sub> O <sub>5</sub> |               |   | _ P <sub>2</sub>     | 05              | -                 |         |  |  |
| <b>0-24''</b><br>Chloride   | VL 16 lb/ac                  | *****  |                |       |        | K₂O                           | 10                   | Band<br>(Starter |                      | K <sub>2</sub> O              |               | 165                                     | - к                  | 20              |                   |         |  |  |
| 0-6"                        |                              | *****  | *              |       |        | CI                            | 24                   | Broadca          | st                   | CI                            |               | 1                                       |                      | 3               |                   |         |  |  |
| <b>6-24"</b><br>Sulfur      | 36 lb/ac                     | *****  | *****          | ***** | **     | S                             | 9                    | Band (Tri        | ial)                 | S                             |               | 100                                     |                      | 100             | U OU              | 1       |  |  |
| Boron                       | -0.6 ppm                     | *****  | **             |       |        | В                             | 0                    |                  |                      | В                             |               | 12                                      |                      | 3               |                   |         |  |  |
| Zinc                        | 0.28/ppm                     | *****  |                |       |        | Zn                            | 0                    |                  |                      | Zn                            | ~             | 105                                     | , z                  | 'n              |                   |         |  |  |
| Iron                        | 9.8 ppm                      | *****  | *****          | ***** | *****  | Fe                            | 0                    |                  |                      | Fe                            |               |   |                      | e               | -                 |         |  |  |
| Manganese<br>Copper         | 1.9.ppm                      | *****  |                |       |        | Mn                            | 0                    |                  |                      | Mn                            |               |   | М                    | n               |                   |         |  |  |
| Magnesium                   | 0.76 ppm                     |        | *****          | ****  |        | Cu                            | 1                    | Band (Tri        | al)                  | Cu                            |               |   |                      | u               |                   |         |  |  |
| Calcium                     | 353 ppm<br>4850 ppm          | ****** | *****          | ***** |        | Mg                            | 0                    |                  |                      | Mg                            | <del></del> ; |   | м                    |                 |                   |         |  |  |
| Sodium                      |                              | **     |                |       |        | Lime                          |                      | -                |                      | Lime                          |               |   | Lir                  | -               |                   |         |  |  |
| Org.Matter                  | 1.6%                         | *****  | خر             | -5    |        |                               | <del>-</del>         | <u> </u>         |                      |                               |               | 04.5-                                   |                      |                 | <u> </u>          |         |  |  |
| Carbonate(CCE)              | 2.2 %                        | *****  | ****           |       |        | Soil p                        | HE                   | Buffer pH        |                      | on Exch<br>Capacit            |               | % Ca                                    | % Mg                 | % K             | ypical Ra<br>% Na | mge)    |  |  |
| 0-6"<br>6-24"<br>Sol. Salts | 0.18 mmho/cm<br>0.21 mmho/cm | ****   |                |       |        | 0-6" 8<br>6-24" 8             |                      |                  |                      | 27.9 me                       |               | (65-75)<br><b>87.1</b>                  | (15-20)<br>10.6      | (1-7)<br>2.2    | (0-5)<br>0.2      | (0-5)   |  |  |

General Comments: Texture is not estimated on high pH soils.

Crop 1: The nitrogen guideline for this recommendation has been customized by the submitter. 52 lbs of 0-0-60 = 24 lbs of Chloride" \* Caution: Seed Placed Fertilizer Can Cause Injury \* Many crops may respond to a starter application of P & K even on high soil tests. Crop Removal: P205 = 31 K20 = 19 AGVISE Band guidelines will build P & K test levels to the medium range over many years.



# Ag Consulting

Cut Bank, MT

Soil Analysis by Agvise Laboratories (http://www.agvise.com) Northwood: (701) 587-6010 Benson: (320) 843-4109

SUBMITTED FOR:

**Cool Spring Colony** 

Box 246

Rudyard, MT

59427

## **SOIL TEST REPORT**

FIELD ID 80's East & West

SAMPLE ID

FIELD NAME

COUNTY

30

TWP

SECTION QTR PREV. CROP Chickpeas

RANGE ACRES 0


SUBMITTED BY: CG2345

CG AG CONSULTING LLC

444 HWY 213

**CUT BANK, MT** 

59427



REF #

1778267

LAB # NW175264

Date Sampled

Date Received 11/14/2016

Date Reported 11/15/20

| Rumani.  | rient In The Sail Interpretation |       |        |   | 1st Crop Choice  Canola-bu       |       |            |            | 21                            | op Choi | 3rd Crop Choice        |                     |                               |  |                     |           |  |
|--|----------------------------------|-------|--------|---|----------------------------------|-------|------------|------------|-------------------------------|---------|------------------------|---------------------|-------------------------------|--|---------------------|-----------|--|
| 0-6<br>6-24  | - 12/4                           | 1:    |        |   |                                  |       |            | YIELD GOAL |                               |         | YIELD GOAL             |                     |                               | YIELD GOAL                                       |                     |           |  |
| th year of the second s |                                  | ***** | ***    |   |                                  | 40    | BU 3.      | 9          |                               |         |                        |                     | ***                           |  |                     |           |  |
| 0-24   | " 44 lb/ac                       |       |        |   | SU                               | GESTE | D GUIDELIN | 16.15      | SUG                           | GESTE   | D GUIDELIN             | IES                 | S                             | JGGES  | TED GUID            | DELINES   |  |
| Nitrate  | 1                                |       |        |   | Band                             |       |            |            |                               |         |                        |                     |                               |  |                     |           |  |
|  |                                  |       |        |   | LB/                              | ACRE  | APPLICAT   | ION        | LB//                          | ACRE    | APPLICA                | TION                | LI                            | ACRE   | APF                 | PLICATION |  |
| Olser<br>Phosphorus  | 12 ppm                           | ***** | *****  | •••   | N                                | 102   | Customiz   | zed        | N                             |         |                        |                     | N                             | Τ  |                     |           |  |
| Potassium  | W 243 ppm                        | ***** | *****  | ***   | P <sub>2</sub> O <sub>5</sub>    | 2,6   | Band *     |            | P <sub>2</sub> O <sub>5</sub> |         | 155                    |                     | P <sub>2</sub> O <sub>5</sub> | 1  | +                   |           |  |
| 0-24'  | ĵ∧∧ 32 lb/ac                     | ***** | ****** |   | K₂O                              | 0     |            |            | K <sub>2</sub> O              | ,       | 45                     |                     | K <sub>2</sub> O              | 1  |                     |           |  |
| Chloride 0-6"  | 10 lb/ac                         |       |        | 132.3   | CI                               |       | Not Avail  | able       | CI                            |         | 110                    |                     | gh.                           | P  |                     |           |  |
| <b>6-24</b> "<br>Sulfur  |                                  | 1 1   | *****  | ******  | s                                | 19    | Band       |            | s                             |         | 10                     | -                   | - 0                           | 1  |                     |           |  |
| Boron  | _0.6 ppm                         | ***** | ***    |   | ·В                               | 1     | Broadcas   | _          | В                             | -       | 100                    |                     | S                             |  | -                   |           |  |
| Zinc   | 0.22 ppm                         | ****  |        |   | Zn                               | 3     | Band       |            |                               |         | 100                    |                     | В                             |  |                     | -         |  |
| [ron   | 8.7 ppm                          | ***** | *****  | ******  | Fe                               | 0     | Ballu      | -#         | Zn                            |         |                        |                     | Zn                            |  |                     |           |  |
| 1anganese  | 1.8 ppm                          | ***** | ****   |   |                                  |       |            |            | Fe                            |         |                        |                     | Fe                            |  |                     |           |  |
| Copper   | 0.66 ppm                         | ***** | *****  | 22.00 (2.00 )<br>20.00 (2.00 )<br>20.00 (2.00 ) | Mn                               | 0     |            | _  -       | Mn                            |         |                        |                     | Мл                            |  |                     |           |  |
| lagnesium  | 368 ppm                          | ***** | ****   | *****   | Cu                               | 0     |            | _          | Cu                            | _       |                        |                     | Cu                            |  |                     |           |  |
| Calcium  | 5033 ppm                         | ***** | *****  | ******  | Mg                               | 0     |            |            | Mg                            |         |                        |                     | Mg                            |  |                     |           |  |
| odium<br>rg.Matter   | 23 ppm                           | ***   |        | 07.2  | Lime                             |       |            |            | Lime                          |         |                        | $\exists l$         | Lime                          | <del>                                     </del> |                     |           |  |
| arbonate(CCE)  |                                  | ***** |        | 10.77   |                                  |       |            |            | ation Exchange                |         | hange % Base Sat       |                     |                               | uration (Typical Range)                          |                     |           |  |
| 0-6"   | 2.6 %<br>0.21 mmho/cm            | ***** | ****   | 12/2/2/2  | Soil pl                          | Bu    | iffer pH   |            | apacity                       | -       | % Ca                   | % N                 |                               | % K  | % Na                | % н       |  |
| <b>6-24"</b><br>ol. Salts  |                                  | ***** |        |   | 0-6 <b>8.</b><br>6-24" <b>8.</b> | V     |            | 2          | 9.0 meg                       |         | (65-75)<br><b>86.9</b> | (15-2<br><b>10.</b> | 0) (                          | 1-7)   | (0-5)<br><b>0.3</b> | (0-5)     |  |

rop 1: \*\* Chloride yield data is limited for this crop. The nitrogen guideline for this recommendation has been customized by the submitter. \* Caution: Seed Place ertilizer Can Cause Injury \* Nitrogen is credited 10 lbs for the previous crop. Nitrogen credits may need to be adjusted based on local conditions. Many crops may seed to a starter application of P & K even on high soil tests. Crop Removal: P205 = 36 K20 = 18 AGVISE Band guidelines will build P & K test levels to the



Cut Bank, MT

Soil Analysis by Agvise Laboratories (http://www.agvise.com) Northwood: (701) 587-6010 Benson: (320) 843-4109

### **SOIL TEST REPORT**

FIELD ID SE of Colony

SAMPLE ID

FIELD NAME COUNTY

444 HWY 213

**CUT BANK, MT** 

**TWP** 

RANGE 9E

SECTION QTR **ACRES 477.7** 

SUBMITTED BY:

PREV. CROP Barley-Malting

**CG AG CONSULTING LLC** 

REF # 1778274 BOX #

LAB # NW175271

SUBMITTED FOR:

**Cool Spring Colony** 

Box 246

Rudyard, MT

Date Sampled

59427

Date Received 11/14/2016

59427

CG2345

Date Reported 11/15/20

| . Nutrient         | In The Soil        |       | Interpretation |           |                               | 1st Crop Choice |           |        |                               |                      | op Choic               | 3rd Crop Choice |                               |                        |                     |          |  |
|--------------------|--------------------|-------|----------------|-----------|-------------------------------|-----------------|-----------|--------|-------------------------------|----------------------|------------------------|-----------------|-------------------------------|------------------------|---------------------|----------|--|
|                    |                    | -     |                |           |                               | ı               | entils.   |        |                               |                      |                        | AST WE'R        |                               |                        |                     |          |  |
| 0-0                | 5" 4 lb/a          | C **  |                |           |                               | YIELD GOAL      |           |        |                               | YIELD GOAL           |                        |                 |                               | YIELD GOAL             |                     |          |  |
|                    |                    |       |                |           |                               | 180             | 0 LBS     |        |                               |                      |                        |                 |                               |                        |                     |          |  |
|                    |                    |       |                |           | SUC                           | GESTE           | D GUIDELI | NES    | SUG                           | SUGGESTED GUIDELINES |                        |                 | SUGGESTED GUIDELINES          |                        |                     |          |  |
| Nitrate            | itrate             |       |                |           |                               | ı               | Band      |        |                               |                      |                        |                 |                               |                        |                     |          |  |
|                    | 100                |       |                |           | LB/                           | ACRE            | APPLIC    | ATION  | LB/ACRE                       |                      | APPLICATION            |                 | LB/ACRE                       |                        | APP                 | LICATION |  |
| Olse<br>Phosphorus | n                  | ***** | *****          |           | N                             | 26              | 1         |        | N                             |                      |                        | -               | N                             | T                      |                     |          |  |
| Potassium          | <b>№</b> 227 ppm   | ***** | *****          | ****      | P <sub>2</sub> Q <sub>5</sub> | 18              | Band      | *      | P <sub>2</sub> O <sub>5</sub> |                      |                        |                 | P <sub>2</sub> O <sub>2</sub> | _                      |                     |          |  |
| 0-6                | " 3 lb/ac          | *     |                |           | K <sub>2</sub> Q              | 0               | /         |        | K <sub>2</sub> O              | ·                    |                        |                 | K <sub>2</sub> O              |                        |                     |          |  |
| Chloride           | 1                  |       |                |           | CI                            |                 | Not Ava   | ilable |                               |                      |                        |                 | -                             | +                      |                     |          |  |
| 0-6                | 10 lb/ac           | ***** | ***            |           |                               |                 |           |        | CI                            |                      |                        |                 | a                             |                        |                     |          |  |
| Sulfur             |                    |       |                |           | s                             | 9               | Band (T   | rial)  | s                             |                      |                        |                 | S                             |                        |                     |          |  |
| Boron<br>Zinc      | 0.6 ppm            | ***** | ***            |           | В                             | 0               |           |        | В                             |                      |                        |                 | В                             |                        | -                   | ~        |  |
| Iron               | 0.21 bpm           |       |                |           | Zn                            | 4               | Band      | i      | Zn                            |                      |                        |                 | Zn                            |                        |                     |          |  |
| Manganese          | 6.3 ppm<br>1.5 ppm |       | ******         |           | Fe                            | 0               |           |        | Fe                            |                      |                        |                 | Fe                            | +                      |                     |          |  |
| Copper             | 0.63 ppm           |       | *****          |           | Мп                            | 0               |           |        | Mn                            |                      |                        |                 | Mn                            |                        |                     |          |  |
| Magnesium          | 332 ppm            | ***** | *****          | ***       | Cu                            | 0               |           |        | Cu                            |                      |                        |                 | Cu                            |                        |                     | *        |  |
| Calcium            | 5091 ppm           | ***** | *****          | *** ***** | Mg                            | 0               |           |        | Mg                            |                      |                        |                 | Mg                            |                        | +                   |          |  |
| Sodium             | 19 ppm             | ***   |                |           | Lime                          |                 |           |        | Lime                          |                      |                        | $-\parallel$    | Lime                          | +-                     |                     | ******   |  |
| org.Matter         | 1.8 %              | ***** | . +2           | 5         |                               |                 |           | !      |                               |                      |                        |                 | Line                          | <u></u>                |                     |          |  |
| arbonate(CCE)      | 3.8 %              | ***** | *****          |           | Soil p                        | н в             | uffer pH  | ì      | on Exch                       |                      | % Base Sat             |                 |                               | uration (Typical Range |                     |          |  |
| 0-6"               | 0.24 mmho/cm       | ***** |                |           |                               |                 |           |        | Capacity                      |                      | % Ca %!                |                 | Mg                            | % K                    | % Na                | % H      |  |
| ol. Saits          |                    |       |                |           | 0-6" 8.                       | 2               |           |        | 28.9 med                      | 7                    | (65-75)<br><b>88.1</b> | (15-2<br>9.     |                               | (1-7)<br>2.0           | (0-5)<br><b>0.3</b> | (0-5)    |  |

General Comments: Texture is not estimated on high pH soils.

Crop 1: \*\* Chloride yield data is limited for this crop. Soil Nitrogen level is estimated at 20 lbs/acre. \* Caution: Seed Placed Fertilizer Can Cause Injury \* Many crops may respond to a starter application of P & K even on high soil tests. Crop Removal: P205 = 25 K20 = 32 AGVISE Band guidelines will build P & K test level: to the medium range over many years.